

	Hits	Search Text	DBs
1	0	(photo\$1diode\$1 photo\$1detector\$1 photo\$1sensor\$1) and optic\$3 and bias near2 poiont same bias\$1	US-PGPUB; USPAT
2	618	(photo\$1diode\$1 photo\$1detector\$1 photo\$1sensor\$1) and optic\$3 and bias near2 point same bias\$1	US-PGPUB; USPAT
3	489	(photo\$1diode\$1 photo\$1detector\$1 photo\$1sensor\$1 APD) same optic\$3 and bias near2 point same bias\$1	US-PGPUB; USPAT
4	12	"801711"	US-PGPUB; USPAT
5	100	(photo\$1diode\$1 photo\$1detector\$1 photo\$1sensor\$1 APD) same optic\$3 and bias near2 point same bias\$1 and (bit adj error adj rate signal adj noise near2 ratio)	US-PGPUB; USPAT
6	3	("5808760"   "5953690"   "6072609").PN.	US-PGPUB; USPAT; USOCR
7	46	(avalanche adj photo\$1diode APD) same voltage\$1 same bias\$3 and bit near3 error\$1	US-PGPUB; USPAT

	Hits	Search Text	DBs
8	3709	(250/214R).CCLS.	US-PGPUB; USPAT; USOCR
9	618	(photo\$1diode\$1 photo\$1detector\$1 photo\$1sensor\$1) and optic\$3 and bias near2 point same bias\$1	US-PGPUB; USPAT
10	3	(( "5953690" ) or ( "6222660" ) or ( "6313459" ) ).PN.	US-PGPUB; USPAT; USOCR
11	9	("4236069"   "4495410"   "4599527"   "5004907"   "5015839"   "5396059"   "5548112"   "5953690"   "6157022" ).PN.	US-PGPUB; USPAT; USOCR
12	3	("5808760"   "5953690"   "6072609" ).PN.	US-PGPUB; USPAT; USOCR

	Hits	Search Text	DBs
13	27	("4009385"   "4081670"   "4166985"   "4292606"   "4347610"   "4355395"   "4369525"   "4443695"   "4539686"   "4577320"   "4580044"   "4611352"   "4663760"   "4677632"   "4689795"   "4698817"   "4733398"   "4878225"   "4890288"   "4903273"   "4918681"   "4928284"   "5019769"   "5025447"   "5286969"   "5396059"   "5488621") .PN.	US-PGPUB; USPAT; USOCR
14	15	S8 and S9	US-PGPUB; USPAT
15	0	(359/189) .CCLS.	US-PGPUB; USPAT; USOCR
16	0	(359/193) .CCLS.	US-PGPUB; USPAT; USOCR
17	1	("6222660") .PN.	US-PGPUB; USPAT; USOCR
18	54	(398/213) .CCLS.	US-PGPUB; USPAT; USOCR
19	361	(398/154) .CCLS.	US-PGPUB; USPAT; USOCR
20	193	(398/212) .CCLS.	US-PGPUB; USPAT; USOCR